






**TECHNICAL  
DATA**
**BIG TENT 2.000**
**STANDARD VERSION**

|                                    |   |                  |  |
|------------------------------------|---|------------------|--|
| Span                               | 2.000 cm  | 2.000 cm         | 2.000 cm                                 |
| Side height                        | 240 cm  | 300 cm           | 400 cm                                   |
| Ridge height                       | 565 cm  | 625 cm           | 725 cm                                   |
| Roof pitch                         | 18°   | 18°              | 18°                                      |
| Bay distance / grid                | 500 cm  | 500 cm           | 500 cm                                   |
| Longest component                  | 1.070 cm  | 1.070 cm         | 1.070 cm                                 |
| Main profile                       |   | 220 x 100 x 3 mm | 220 x 100 x 4 mm                         |
| Gable column                       | 3/4   | 3/4              | 3/4                                      |
| Corner connections                 | Sliding connections   |                  | Plug-in connections<br>with corner brace |
| Min. setup length                  | 2.000 cm  | 2.000 cm         | 1.000 cm                                 |
| Max. setup length                  | Expandable with the grid  |                  |  |
| Max. wind speed<br>according to EN | 110 km/h  |                  |  |
| Special design                     | Elimination of the side bandage through the installation of portals   |                  |  |
| Flooring                           | <ul style="list-style-type: none"> <li>• Wood floor with timber or steel-aluminum substructure</li> <li>• Cassette flooring</li> <li>• Compact floor</li> <li>• Heavy duty floor</li> </ul> |                  |  |
| Tarpaulin                          | RÖDER No. 1, PVDF-coated tarpaulin, according to DIN 18204  |                  |  |

**2.000/240/565 & 2.000/300/625**

**2.000/400/725**

**QUESTIONS AND COMMENTS**

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.