




**TECHNICAL
DATA**

HOLIDAY UNO

STANDARD VERSION

Span	1.000 cm
Side height	230 cm
Ridge height	393 cm
High point	593 cm
Roof pitch	18°
Bay distance / grid	300 / 500 cm
Longest component at grid 300 cm	534 cm
at grid 500 cm	549 cm
Main profile	110 x 68 x 3 mm
Gable column	1
Corner connections	Stem bolts
Min. setup length at grid 300 cm	1.200 cm
at grid 500 cm	2.000 cm
Max. setup length	Expandable with the grid
Max. wind speed according to EN	80 km/h
Special Design	Elimination of the wall diagonal through the installation of portals
Floor	<ul style="list-style-type: none"> • Wood floor with timber or steel-aluminum substructure • Cassette flooring • Compact floor
Tarpaulin	RÖDER No. 1, PVDF coated tarpaulin, according to DIN 18204

1.000/230/593


QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.